20

25

WHAT IS CLAIMED IS:

1. A component managing control system comprising:

a component information storage server which stores a component information with respect to a wholeness of a hardware and a firmware to compose a product;

a rule information storage server which stores a rule information upon registering said component information in said component information storage server; and

a registration client, which is connected to said component information storage server and said rule information storage server via a network, which registers said component information in said component information storage server on the basis of said rule information, which is derived from said rule information storage server.

- 2. A component managing control system according to claim 1, wherein said plural component information storage servers are provided and plural and various component information is distributed and stored in said plural component information storage servers, respectively.
- 3. A component managing control system according to claim
 1, comprising a meta information storage server, which is
 connected to said network, which stores a meta information
 having a layered construction of at least component

information; wherein said registration client registers said meta information in said meta information storage server and registers said component information in said component information storage server.

5

- 4. A component managing control system according to claim
- 1, said registration client registers said component information, which is described by an XML.

&

- 5. A component managing control system according to claim 1, comprising rule verification means for verifying a deliberation result of a written rule, which is a source of said rule information, and registering a rule information in response to the verification result in said rule information storage server.
- 6. A component managing control system according to claim
- 1, comprising agent means for deducing said rule information.

20

7. A component managing control system according to claim 6, wherein said agent means evaluates the deduction result of said rule information by a 0/1 detection.

25

5 9. A component managing control system according to claim 8, comprising replacing means for repeatedly replacing a DTD information of said component information, which is described by the XML by using a predetermined method so that the evaluation value in said agent means becomes maximum or TOCCUTATION OF THE PROPERTY OF minimum, when the evaluation value does not satisfy a target value.

A component managing control system comprising:

20

25

a component information storage server which stores a component information with respect to a wholeness of a hardware and a firmware to compose a product;

a rule information storage server which stores a rule information upon making reference to/receiving component information from said component information storage server; and

a reference/receipt client, which is connected to said information storage component server and said information storage server via a network, which makes reference to/receiving said component information from said component information storage server on the basis of said

rule information, which is derived from said rule information storage server.

- 11. A component managing control system according to claim
 5 10, comprising rule verification means for verifying a
 deliberation result of a written rule, which is a source of
 said rule information, and registering a rule information
 in response to the verification result in said rule
 information storage server.
 - 12. A component managing control system according to claim 10, comprising agent means for deducing said rule information.
 - 13. A component managing control system according to claim 12, wherein said agent means evaluates the deduction result of said rule information by a 0/1 detection.
- 14. component managing control system according to claim
 20 12, wherein said agent means evaluates the deduction result
 of said rule information by a fuzzy detection from 0 to 1.
- 15. A component managing control system according to claim
 14, comprising replacing means for repeatedly replacing a
 25 DTD information of said component information, which is

20

25

described by the XML by using a predetermined method so that the evaluation value in said agent means becomes maximum or minimum, when the evaluation value does not satisfy a target value.

5

A computer readable recording medium for recording a 16. managing control program component applicable registration client, which is connected to said component information storage server for a storing a component information with respect to a wholeness of a hardware and a firmware to compose a product and said rule information storage server for storing a rule information upon registering said component information in said component information storage server via said network; wherein said computer readable recording medium records said component managing control program to make the computer execute registration step for registering said information in said component information storage server on the basis of said rule information, which is derived from said rule information storage server.

17. A computer readable recording medium for recording a component managing control program applicable to a reference/receiving client, which is connected to said component information storage server for a storing a

5

component information with respect to a wholeness of a hardware and a #irmware to compose a product and said rule information storage server for storing a rule information upon making reference to/receiving said component information in said component information storage server via said network; wherein said computer readable recording medium record\$ said component managing control program to make the computer execute reference/receiving step for making reference to/receiving said component information in said component information storage server on the basis of said rule information, which is derived from said rule information storage server.